



By



Sanchez
Refrigeration Equipment Sales, Inc.

ICE BUDDY SELF CONTAINED DROP-IN REFRIGERATION SYSTEMS

MAXIMUM BTUs:

- lowest temperatures
- maximum cold air flow



100% COPPER REFRIGERATION LINES

CORROSION RESISTANT ALUMINUM FINNS

STAINLESS STEEL DOORS

MAXIMUM INSULATION 50% MORE

All Ice Buddy cabinets have 3" of polyurethane insulation in top & bottom - KEEPS THE COLD IN



ELIMINATES FIELD REPAIRS

Keep an extra Ice Buddy D-In unit on hand and eliminate costly field repairs. The change out is simple and easy.

Call Today For More Information on the Full Line of High Quality Ice Buddy Merchandisers.



Sanchez Refrigeration Equipment Sales, Inc. • 21582 Halstead Drive, Boca Raton, FL 33420 • 800-847-7704 • 561-883-3392 • Fax 561-883-3393





Ice Buddy Made for Export



420 AD
Shown assembled.

Ice Buddy works for you

- Single or double doors available
- Glass door or stainless steel door
- Drop-in refrigeration
- Solid
- Reliable
- Efficient
- All-in-one body design

Ice Buddy maximizes your shipping dollar

- Twice as many boxes fit into
a 45' shipping container



Pictures show merchandisers
laying down for
shipping and ready to be
stacked into container.





**“ICE BUDDY”
Ice Merchandisers by Sanchez
Refrigeration**

Designed to be the best in the industry, the ICE BUDDY has been designed with the iceman in mind. Drop-in refrigeration systems eliminate the need for a refrigeration mechanic to go onsite to make repairs. Cabinet tops and bottoms have an extra inch of foamed-in-place polyurethane insulation for a total of 3 inches. All walls have 2 inches of polyurethane insulation. Models range from 30 to 100 cubic foot capacity with either solid or glass doors. 115 volt.

STANDARD FEATURES

- Total steel cabinet construction
- Foamed-in-place polyurethane insulation
- Extra value insulation (3 inches) in cabinet tops and bottoms, 2 inches in walls
- High performance polyester finish plus a full range of contemporary colors
- Embossed aluminum doors with roll-in magnetic gaskets to assure a tight seal
- Sealed, balanced, trouble-free R22 refrigeration systems
- Five-year compressor warranty
- Large embossed doors assure easy access
- All upright models equipped with automatic door closers
- Triple pane or double pane “Super E” safety glass doors with matching trim and automatic door closers on all hinges
- Full top enclosures with slip-in signage
- Optional finishes include wood grains and contemporary colors



380 AD



600 AD

Ice Merchandiser				Outside Dimensions			Solid Door	Approx. Wt.		Refrigeration	Amperage	
Models	No. of Doors	Capacity		Width	Depth	Height	Width X Height	Cold Wall	Auto Def.	Compressor	Cold Wall	Auto Def.
		Cu. Ft.	Bags (8 lbs.)									
300CW 300AD	1	30	100	36"	30"	77"	26" X 44"	290	300	1/4 hp	4.5	4.8
600CW 600AD	2	60	200	72"	35"	70"	27" X 27"	410	420	1/3 hp	6	6.3





MERCHANDISERS



300 AD



850 AD



420 AD



650 AD



1000 AD



570VTAD

Ice Merchandiser		Outside Dimensions			Solid Door	Approx. Wt.	Refrigeration		Amperage			
Models	No. of Doors	Capacity		Width	Depth	Height	Width X Height	Cold Wall	Auto Def.	Compressor	Cold Wall	Auto Def.
		Cu. Ft.	Bags (8 lbs.)									
300CW 300AD	1	30	100	36"	30"	77"	26" X 44"	290	300	1/4 hp	4.5	4.8
380CW 380AD	1	38	120	48"	35"	70"	27" X 27"	335	340	1/4 hp	4.5	4.8
420CW 420AD	1	42	125	48"	30"	77"	26" X 44"	340	350	1/4 hp	4.5	4.8
630CW 630AD	1	65	200	60"	35"	77"	26" X 44"	400	410	1/3 hp	6	6.3
600CW 600AD	2	60	200	72"	35"	70"	27" X 27"	410	420	1/3 hp	6	6.3
650CW 650AD	2	65	200	72"	30"	77"	26" X 44"	440	450	1/3 hp	6	6.3
850CW 850AD	2	85	255	84"	35"	77"	26" X 44"	560	570	1/2 hp	10	11
1000CW 1000AD	2	100	320	94"	35"	77"	26" X 44"	585	595	1/2 hp	10	11
400VCW 400VTAD	2	40	120	72"	35"	49"	27" X 27"	450	460	1/3 hp	6	6.3
570VCW 570VTAD	3	60	190	94"	35"	49"	27" X 27"	490	500	1/3 hp	6	6.5



630 AD





300 ADG



420 ADG



650 ADG



850 ADG



1000 ADG



630 ADG

Ice Merchandiser		Outside Dimensions			Glass Door	Approx. Wt.	Refrigeration		Amperage			
Models	No. of Doors	Capacity		Width	Depth	Height	Width X Height	Cold Wall	Auto Def.	Compressor	Cold Wall	Auto Def.
		Cu. Ft.	Bags (8 lbs.)									
300CWG 300ADG	1	30	100	36"	30"	77"	26" X 44"	330	340	1/4 hp	4.5	4.8
420CWG 420ADG	1	42	25	48"	30"	77"	26" X 44"	380	390	1/4 hp	4.5	4.8
630CWG 630ADG	1	65	200	60"	35"	77"	26" X 44"	465	475	1/3 hp	6	6.3
650CWG 650ADG	2	65	200	72"	30"	77"	26" X 44"	560	570	1/3 hp	6	6.3
670CWG 670ADG	2	65	200	60"	35"	77"	26" X 44"	560	570	1/3 hp	6	6.3
850CWG 850ADG	2	85	255	84"	35"	77"	26" X 44"	630	640	1/2 hp	10	11
1000CWG 1000ADG	2	100	320	94"	35"	77"	26" X 44"	660	670	1/2 hp	10	11

Product improvement may require specifications to change without notice • Weights are crated weights

Add 3" for door and handle on upright models • Storage capacity may vary depending on loading methods and ice bags

